



	Portfolio	
Α	FiberLight® product family	page 3
Α	FiberLight® L ₃	page 4
Α	FiberLight® D ₂	page 5
В	Photoionisation Detector Lamps	page 6
C	Deuterium Lamps	page 8
D	Hollow Cathode Lamps	page 10

Applications	Portfolio
Atomic absorption spectroscopy	C D
Atomic fluorescence spectroscopy	D
mergency first response	В
xhaust monitoring	ВС
Gas chromatography (GC)	В
High Performance Capillary Electrophoresis (HPCE)	С
High Pressure Liquid Chromatography (HPLC + UHPLC)	С
eak detection	В
Mass spectrometry (MS)	В
Personnel safety in confined spaces	В
Pollution monitors	АВС
Process control	A C
Semiconductor inspection	С
hin layer chromatography (TLC)	С
JV-Vis spectroscopy	A C

The first broadband UV LED — for mobile environmental monitoring

Environmental monitoring has never been easy: FiberLight® L_3 is perfectly designed for mobile and handheld analytical devices such as in UV-spectroscopy. The first broadband UV LED module saves you time and money: Analyze samples right in the field – no need for shipping to the laboratory.

page 3

Measuring and analyzing seawater

Water analysis is becoming increasingly important, not only for marine research and the fishing industry, but also for controlling dangerous chemicals in water. FiberLight® D_2 enables highly sensitive water analysis particularly in the deep blue sea just above the ocean floor quickly and safely – with the greatest accuracy.

page!

Detecting explosives at the airport

Photoionization detector (PID) lamps by Excelitas help ensure safety at airports: They allow easy and reliable passenger screening in airports worldwide. Due to its reliability and consistency, our PID lamps are used in explosives trace detectors (ETD) at major airports around the world.

page 6

Ensuring fair sports competitions

Testing the best: Deuterium lamps enable extremely low detection limits and high sensitivity to determine illegal doping by athletes – and thus ensure the fairest sports in competition.

page 8

page 10

Keeping your drinking water clean

Hollow Cathode Lamps (HCL) by Excelitas help you prevent drinking water with too high concentrations of iron, cadmium or zinc. They facilitate analytical methods like Atomic Absorption Spectrometry (AAS) for the quantitative and qualitative analysis of many elements such as metals or semimetals in mostly liquid solutions and solids.











FiberLight® product family For mobile monitoring applications.





The Excelitas FiberLight® product family offers specialty light sources ideal for applications with limited space in the equipment, whether stationary, portable, handheld or even battery-driven instruments.

Low power consumption, small dimensions and ease of operation open up new possibilities for instrument designers. With the fiber coupling all light sources are easy to integrate. Various light sources and systems for individual applications are available.

FiberLight[®] L₃


A new species of light: The first broadband UV LED for mobile spectroscopy.

Environmental field based analysis has never been easy. Current on-site measurement methods are restricted by the mobility and limited battery life of the measurement device. Typically, a sample is taken in the field and then shipped to the laboratory for analysis. A very time consuming and logistically complex method.

FiberLight® L, is a new light source solution which offers the advantages of state-of-the-art LED technology combined with a true broadband spectrum. With its low power consumption and compact size, the module is easy to integrate into battery operated mobile and handheld devices. The plug & play feature ensures an easy integration and mobile usage. Furthermore FiberLight® L, reduces costs and time per measurement. This UV LED solution also offers a broadband UV spectrum using a unique technology based on a single LED. This opens completely new application fields and gives unexpected flexibility in analytical measurement methods like mobile UV spectroscopy and also flash chromatography.

The result: a new species of light – and an entirely new world of possibilities for your mobile analytical measurement.






- Broadband UV spectrum (250 490 nm) enables the detection of a wider range of substances
- The long lifetime (> 5.000 h) means reduced maintenance and
- New application fields are possible due to unque combination of features like low power consumption (< 1.5W) and the small size $(60 \times 63 \times 48 \,\mathrm{mm}^3)$
- Fiber coupling and plug & play set up for easy integration

Wavelength [nm]

Measuring and analyzing seawater - With FiberLight® D₂ mobile measurements can be made with the greatest accuracy.

Monitoring seawater helps ensure compliance with environmental regulations and protects sea life from dangerous chemicals. Water analysis is also increasingly important for marine research and the fishing industry. FiberLight® D₂ is especially suitable for testing the quality of seawater in the deep sea just above the ocean floor quickly and safely.

FiberLight® D₂ enables highly sensitive water analysis directly on site.



FiberLight[®] D₂ UV-Vis light source for high measurement consistency.



FiberLight® D, Basic

The 6W FiberLight® D, Basic is the only UV-Vis light source on the market combining a deuterium lamp, with a tungsten lamp, a shutter, optical system and an SMA 905 connector in such a compact module. The spectral emission covers the entire range from 200 nm to 1100 nm and can be extended to 185 nm. All components are mounted on a printed circuit board. Both lamps and the shutter can be individually controlled by a TTL signal.

The small size of the FiberLight® D, makes it the ideal light source for applications with limited space in the equipment, whether stationary, portable / handheld or even battery-driven instruments. Low power consumption, small dimensions and ease of operation open up new possibilities for instrument designers. With the flexibility of the product and design Excelitas can meet the customers' needs.

Features and Benefits

- Reduced design costs due to a plug & play light source module
- Easy integration and optical coupling using an SMA connector
- Space saving size which allows integration into small devices
- Instant ON/OFF enables cyclic operation which can extend the lifetime up to 3 years

Instant ON and Instant Stability

The FiberLight® D₂ electrodeless discharge lamp (EDL) is the only deuterium lamp that can be switched instantly ON and instantly deliver a stable light output. FiberLight® D, is therefore the ideal light source in analytical instruments for waste water analysis and other pollution monitoring where light absorption is measured for only a few seconds and repeated after long intervals. As an EDL, the number of ignitions does not reduce lifetime. In addition, cyclic lamp operation results in an extended service life of up to three years.



FiberLight® D, Basic

info@amstechnologies.com www.amstechnologies.com **ams**TECHNOLOGIES shop.amstechnologies.com Get expert guidance now!

Photoionisation Detector Lamps

For high quality gas detection and gas chromatography.







Detecting explosives at the airport

Excelitas Photoionization detector (PID) lamps detect explosives at major airports around the world, thus ensuring safe travel of passengers and crew. Major airports around the world choose our PID lamps for their explosives trace detection (ETD) needs due to its simplicity, reliability and consistency.

VOC detection or air quality monitoring

Excelitas PID lamps help keep the public safe from harmful pollutants in the air by helping industry and governments monitor air quality and meet increasingly stringent regulations. Laboratories, petrochemical plants, factories, cities, and major airports rely on Excelitas PID lamps to rapidly and reliably detect and monitor a range of harmful gases. Excelitas manufactures PID lamps using the world's first and only fully automated process. This enables quality and consistency levels that would not be possible otherwise. As a result, OEM manufacturers of analytical instrumentation such as gas chromatography (GC), mass spectrometry (MS), volatile organic compound (VOC) detectors, and explosives trace detectors (ETD), rely on Excelitas PID lamps to maximize their instrument performance while reducing the end-users cost of ownership.

Available in either DC or RF, Excelitas offers a complete range of PID lamps with the highest quality in terms of intensity, spectral purity and long life. Additionally, the PID lamps are available with different gas fills and window materials. Our fully automated RF Lamp production enables us to offer the shortest delivery times in the industry without sacrificing quality.

Excelitas works alongside OEMs to design and build products that meet their specific dimensional and instrument performance requirements.

Features and Benefits


- Enhanced lamp life through accurate control of bulb dimensions and gas fill pressure
- Shortest delivery times in the industry due to ease of production scalability
- Customized lamp designs and dimensions to fit your specific application
- Different gas fills and window materials with photon energies from 8.4 − 10.6 eV for more selectivity in gas detection
- High purity window material for better transmission and higher intensity
- Proprietary getter technology and high purity gas fill for longer lamp life



PID, RF excited AUTO 6 mm diameter


PID, RF excited 12 mm diameter

PID, DC excited 20 mm diameter



Did you know? Excelitas is the first PID manufacturer to use an automated production process which ensures more reliable processes for the highest quality lamps. Clear advantages for the customer: consistent quality, longer operating lifetimes and quickest delivery times.

Detectable Substances with PID



Deuterium Lamps

Extremely low detection limits and high sensitivity for HPLC and UV-Vis analysis.





To ensure fair sports competitions athletes must submit urine samples to test for illegal doping. Similarly, analyzing pharmaceuticals for their purity, content, and quality ensures effectiveness and safety for patients.

In these situations various analysis methods are appropriate, such as UV-Vis spectroscopy for purity testing or high-performance liquid chromatography (HPLC) for determining the content of the active ingredients.

Excelitas specialty light sources are ideal for both analysis methods. High-quality deuterium light sources provide reliable and very precise measurement results to ensure accurate test results and product quality.


Using the latest material and process technologies, Excelitas new lamps combine unmatched output stability and intensity over a lifetime of more than 2,000 hours. This clearly places them above from other long-life lamps on the market and makes them the ideal choice for ultra-high-performance liquid chromatography (UHPLC) instruments or high end UV-Vis spectrophotometer.


Features and Benefits

- Less instrument recalibration due to consistent intensity over lifetime
- Higher throughput due to shorter sampling times resulting from better signal to noise ratio
- Highest precision analytical results due to lowest noise and high intensity
- Best price/performance ratio and lowest Cost of Ownership due to long lifetime
- Available with 0.5 and 1.0 mm apertures for more focused intensity

Excelitas latest generation deuterium lamps serve different needs and applications:

- Enhanced Lifetime Performance (ELP) technology
 Excelitas' high transmissive synthetic quartz
 envelope maintains twice the intensity compared to
 standard D₂ lamps at the end of life. The patented
 ELP coating protects the light filament against
 degradation caused by VUV radiation and reactive
 plasma components.
- See-through versions of all lamps available
 See-through lamps offer a straight-line arrangement
 of a tungsten halogen lamp and a deuterium lamp in
 an optical system. This enables OEMs to simplify and
 reduce costs of UV-Vis spectrophotometers. For
 example, this approach can eliminate the need for a
 moveable mirror or a semi-transmissive beam splitter.
 See-through lamps offer the same unmatched high
 stability and are available with the same diversity of
 heater voltages and aperture sizes.
- Different spectral ranges available lamps are available either with UV glass envelope (cut off at 185 nm) or with high transmissive quartz envelope (cutting edge 160 nm), providing maximum performance depending on your applications or instrument design.










 $\mathbf{D}_2^{\textit{plus}}$ Deuterium lamp with UV glass with quartz envelope envelope

Hollow Cathode Lamps

Stable light output and low noise characteristics for Atomic Absorption Spectrometry.







High concentrations of iron, cadmium, or zinc in drinking water can endanger human health. Likewise, toxic metal-containing elements, such as mercury, can contaminate soil, also endangering humans. One analytical method for determining and analyzing these toxic substances is Atomic Absorption Spectrometry (AAS). AAS provides quantitative and qualitative analysis of many elements such as metals or semimetals in mostly liquid solutions and solids.

Hollow cathode lamps (HCL) are discharge lamps designed for use in AAS. They consist of a cathode made from the element of interest, an anode and an inert filler gas contained in a glass envelope.

Excelitas offers the widest selection of single- and multi-element coded/non-coded in low and high-current, 37 mm and 50 mm lamps in the industry. They are designed for optimal performance by combining:

- Good chemical sensitivity
- High spectral response
- Stable light output
- Low noise characteristics
- Long operating and shelf life

Excelitas HCL are available both for OEMs and as a replacement lamp by discerning users the world over. The range includes standard lamps and data-coded versions for PerkinElmer and Thermo Fisher Scientific AAS instruments.

Single-Element Lamps

The Excelitas catalogue includes 70 single-element lamps in standard 37 mm (1½ inch) and 50 mm (2 inch) diameters to fit almost any AAS instrument. All cathode materials are selected from the highest purity available – usually 99.99 % or better – to ensure high spectral line intensity, stability and low noise with good analytical sensitivity. Window material selection ensures optimal transmission of the cathode element's primary spectral lines. Borosilicate glass is used for wavelengths over 350 nm, and high quality quartz for shorter wavelengths.

Features and Benefits

- Widest range of Single Elements available no restrictions on optimizing your analysis
- Extensive Multi-Element range simplifies routine analysis and saves set-up costs
- Coded lamps available automatic optimized operation enables widest use in your laboratory
- Lamps available for all AAS systems save time looking for suppliers
- Good chemical sensitivity provides accurate analysis
- Stable light output more reliable analysis results
- Long lifetime reduces operating costs

Multi-Element Lamps

Excelitas manufactures the largest range of multielement lamps offering only those combinations which provide sufficient energy and an acceptable lifetime for each element with no spectral interference. Multi-element HCL are available with two to seven different element combinations. These are particularly useful for carrying out routine analysis on a number of different elements in the same sample, such as alloys.







Hollow Cathode

About Excelitas Technologies

Excelitas is a leading provider of advanced, life-enriching technologies that make a difference, serving global market leaders in the life sciences, advanced industrial, nextgeneration semiconductor, aerospace and defense end markets. Headquartered in Pittsburgh, PA, USA, Excelitas is an essential partner in the design, development and manufacture of photonic technologies, offering leading-edge innovation in sensing, detection, imaging, optics, and specialty illumination for customers worldwide. Excelitas is at the forefront of addressing many of the relevant megatrends impacting the world today, including precision medicine, industrial automation, artificial intelligence, connected devices (IoT) and military modernization.



Contact us here:

Phone +49 (6027) 121-7210 hng-analytical lamps@excelitas.com hng-contact@excelitas.com

Visit our website: www.noblelight.com



www.excelitas.com

For a complete listing of our global offices, visit www.excelitas.com/Locations



